



SUPERIOR BY DESIGN.

EURO VISTA FOLD™ THERMALLY BROKEN ALUMINUM DOOR SYSTEM



euro-wall®

FOLDING | SLIDING | STACKING

888.989.EURO (3876)

www.euro-wall.com

SPECIFICATIONS

EURO VISTA FOLD™ EXTERIOR ALUMINUM FOLDING DOOR SYSTEM

Maximum / Minimum Specifications

Max Panel Weight:	300 lbs each panel
Min Panel Width:	18"
Max Panel Width:	48"
Min Panel Height:	32"
Max Panel Height:	144"
Door Thickness:	2-1/4"
Max # of Panels:	Unlimited

NOTE: When using maximum panel width & height 48" x 144" panel may exceed maximum panel weight of 300 lbs. Calculated weight check should be done.

Extrusions:

Extruded Aluminum 6063-T5.

Extrusion Finishes:

1. Clear anodized Class 1.
2. Standard Mill Finish available for custom colors from Euro-Wall.
3. White and bronze Kynar Coat finish: D2000-AAMA 2605.
4. Custom Powder Coat finishes available D3000-AAMA 2604 and 2605.
5. Interior wood finish.

Hardware:

Stainless Steel (316SS) Components with Aluminum hinges.

Twinpoint Hardware:

Stainless Steel (304SS) & Aluminum Components.

Lever Lock Sets:

Bronze over Brass / Brushed Stain or Chrome over Stainless Steel


DSD Multi-point Door Locks:

Faceplate, latch and hooks are 304SS.

Euro-Wall 10 Year Warranty

Euro-Wall offers a complete 10 Year Warranty. Please refer to www.euro-wall.com for full warranty information, terms & conditions, returns & allowances, claims policy, and other general information.

3 STANDARD FRAME & DOOR PANEL FINISHES



White



Clear



Bronze


- Anodized, Powder Coat or Kynar® are available
- 40 Custom Wood Grain finishes available (not shown)
- 30 Solid Colors: Custom powder coat finishes available (not shown)
- 40 Metallic Custom Powder coat finishes available (not shown)
- Manufacturer color match options

WARRANTY



Interior Wood Clad Option

FEATURES OF THE EURO VISTA FOLD™ DOOR SYSTEM




- 1 Segmented radius door option available
- 2 90 degree postless corner unit option available
- 3 Door panels designed for laminated impact and IG and IG impact glass
- 4 Twinpoint hardware in stainless steel (304SS)
- 5 Door panel corner key for strength and security
- 6 Weatherstripping on all door panels and frames
- 7 6063-T5 aluminum profiles in all Euro extrusions
- 8 Stainless steel lever lock set
- 9 Stainless steel (304SS) 5 or 6 point MK2 multi-point door lock
- 10 Optional matching hardware handles

A
Lever Lock Set

B
Carrier & Hinge

C
Twinpoint Handle


OPTIONS




Twinpoint assembly is used in securing each pair of folding door panels in the closed position. Not used on the swing (active) panel.



FINISH OPTIONS



EURO (ALUMINUM TWINPOINT SWING HANDLE) FINISHES



Available Finishes
1, 2, 4

EURO SERIES LEVER LOCK SET




Available Finishes
1, 3, 4

MULTI-POINT LOCK



Available Finishes
3

EURO INTERMEDIATE CARRIER (SHOWN)



Available Finishes (Hinges)
1, 2, 3, 4


NOTE: The colors shown in this brochure give only an approximation of color and finish. Actual colors and finishes may vary.

SUPERIOR BY DESIGN


FOLDING DOOR PANEL OPTIONS

CODE		OPENING CONFIGURATION	
2L		2R	
2L1R		1L2R	
3L		3R	
3L1R		1L3R	
4L		2L2R	
4L1R		<p>NOTE: Please note that the configurations below are just a few examples of the limitless possibilities for Euro Vista Fold™ Door layout options.</p>	
3L2R			
5L			
3L3R			
7L			
4L3R			
5L2R			
5L5R			
5L7R			
5L9R			
5L11R			

OUTSWING




INSWING




SUPERIOR

EURO VISTA FOLD™ GLAZING DETAILS


1" Insulated Glass





Laminated Monolithic Impact Glass



Insulated Impact Glass



SUPERIOR
BY DESIGN





TEST PERFORMANCE MET ALL REQUIREMENTS

ASTM 283-4 / ASTM 547-00 / ASTM330-02 / AAMA 1304

Air Infiltration: DP50

Water Leakage Resistance: DP50

Wind Load Resistance: DP50

euro-wall®

FOLDING | SLIDING | STACKING

888.989.EURO (3876)

Euro-Wall Systems, LLC • 24100 Tiseo Blvd • Port Charlotte, FL 33980
www.euro-wall.com • info@euro-wall.com

Proud Member of the American Architectural Manufacturers Association.

